

## 兔抗 RBL2 多克隆抗体

中文名称: 兔抗 RBL2 多克隆抗体

英文名称: Anti-RBL2 rabbit polyclonal antibody

别 名: Rb2; P130

储 存: 冷冻(-20℃)

抗 原: RBL2

宿 主: Rabbit

反应种属: Human, Mouse, Rat

相关类别: 一抗

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	Retinoblastoma-like protein 2 is a protein that in hum ans is encoded by the RBL2 gene. Key regulator of en try into cell division. Directly involved in heterochroma tin formation by maintaining overall chromatin structur e and, in particular, that of constitutive heterochromatin by stabilizing histone methylation. Recruits and targe ts histone methyltransferases SUV420H1 and SUV420H2, leading to epigenetic transcriptional repression. Controls histone H4 'Lys-20' trimethylation.
Applications:	ELISA, WB, IHC
Name of antibody:	RBL2
Immunogen:	Synthetic peptide of human RBL2
Full name:	retinoblastoma-like 2



## www.shjning.com

Synonyms:	Rb2; P130
SwissProt:	Q08999
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human lung cancer and human brain
IHC Recommend dilution:	30-150
WB Predicted band size:	128 kDa
WB Positive control:	Lncap cell
WB Recommended dilution:	200-1000







